

HuskyBot

From MTU LUG wiki

HuskyBot is our adorably stupid IRC bot. He is based upon the abandoned Infobot (<http://www.infobot.org/>) codebase, although he has some rather extensive mods at this point.

Commands

- skippy
- bruceschneier
- chucknorris
- excuse

HuskyBot's brain

His code is available through the git repository that NUXI made (converted from techieb0y's original svn repo):

```
git://sekhmet.lug.mtu.edu/~nuxi/huskybot.git
```

Setup instructions:

1. Edit `conf/infobot.conf` to change the nick/server/channels
2. Edit `conf/infobot.user` to add admin rights for yourself (see `conf/infobot.users-dist` for examples)
3. Import the databases:

```
scripts/update_db files/HuskyBot-are.txt files/HuskyBot-are
scripts/update_db files/HuskyBot-ignore.txt files/HuskyBot-ignore
scripts/update_db files/HuskyBot-is.txt files/HuskyBot-is
scripts/update_db files/HuskyBot-karma.txt files/HuskyBot-karma
scripts/update_db files/HuskyBot-seen.txt files/HuskyBot-seen
```

Dumping the databases is similar (but please keep these out of any patches you submit)

```
scripts/dump_db files/HuskyBot-are > files/HuskyBot-are.txt
scripts/dump_db files/HuskyBot-ignore > files/HuskyBot-ignore.txt
scripts/dump_db files/HuskyBot-is > files/HuskyBot-is.txt
scripts/dump_db files/HuskyBot-karma > files/HuskyBot-karma.txt
scripts/dump_db files/HuskyBot-seen > files/HuskyBot-seen.txt
```

Note: dumping/importing the database should be done while the bot is stopped!

Also note that the native format of the `-is` and `-are` files are not portable, particularly with respect to endianness. When moving HuskyBot to a new machine, save yourself some sanity and use `dump_db` / `update_db`.

Retrieved from "<http://lug.mtu.edu/mediawiki/index.php?title=HuskyBot&oldid=6169>"

- This page was last modified on 19 December 2010, at 18:24.
- This page has been accessed 9,629 times.